

# COMP 110/L Lecture 7

Kyle Dewey

# Outline

- Modulus (%) operator
- The `boolean` type
- `if / else`
  - Testing approaches with `if / else`

# Modulus (%) Operator

# Modulus (%) Operator

Gets the remainder after division is performed on `ints`.

# Modulus (%) Operator

Gets the remainder after division is performed on `ints`.

---

```
int x = 5 / 2;
```

# Modulus (%) Operator

Gets the remainder after division is performed on `ints`.

---

```
int x = 5 / 2;  
x: 2
```

# Modulus (%) Operator

Gets the remainder after division is performed on `ints`.

---

```
int x = 5 / 2;
```

```
    x: 2      2 remainder 1
```

# Modulus (%) Operator

Gets the remainder after division is performed on `ints`.

```
int x = 5 / 2;
```

`x: 2`      `2 remainder 1`

```
int x = 5 % 2;
```



# Modulus (%) Operator

Gets the remainder after division is performed on `ints`.

```
int x = 5 / 2;
```

x: 2          2 remainder 1

```
int x = 5 % 2;
```

x: 1          2 remainder 1

# Modulus (%) Operator

Gets the remainder after division is performed on `ints`.

---

```
int x = 1 / 2;
```

# Modulus (%) Operator

Gets the remainder after division is performed on `ints`.

---

```
int x = 1 / 2;  
x: 0
```

# Modulus (%) Operator

Gets the remainder after division is performed on `ints`.

---

```
int x = 1 / 2;
```

```
    x: 0          0 remainder 1
```

# Modulus (%) Operator

Gets the remainder after division is performed on `ints`.

```
int x = 1 / 2;
```

`x: 0`      `0 remainder 1`

```
int x = 1 % 2;
```

# Modulus (%) Operator

Gets the remainder after division is performed on `ints`.

```
int x = 1 / 2;
```

`x: 0`      `0 remainder 1`

```
int x = 1 % 2;
```

`x: 1`

# Modulus (%) Operator

Gets the remainder after division is performed on `ints`.

```
int x = 1 / 2;
```

x: 0      0 remainder 1

```
int x = 1 % 2;
```

x: 1      0 remainder 1

**Example:**

ModExample.java



boolean

# boolean

- Represents the *truth value* of a question
- Only two possible values: `true` and `false`

# boolean

- Represents the *truth value* of a question
- Only two possible values: `true` and `false`

---

```
boolean x = true;
```

# boolean

- Represents the *truth value* of a question
- Only two possible values: `true` and `false`

---

```
boolean x = true;
```

---

```
boolean y = false;
```

-No quotes around true and false

-"true" is a string holding the text "true", whereas `true` is a boolean value indicating truth

# Comparisons

`boolean` is useful for *arithmetic comparisons*

# Comparisons

`boolean` is useful for *arithmetic comparisons*

---

```
boolean a = 5 > 1; // sets a to true
```

# Comparisons

`boolean` is useful for *arithmetic comparisons*

---

```
boolean a = 5 > 1; // sets a to true
```

---

```
boolean b = 5 < 1; // sets b to false
```

# Comparisons

`boolean` is useful for *arithmetic comparisons*

```
boolean a = 5 > 1; // sets a to true
```

```
boolean b = 5 < 1; // sets b to false
```

```
boolean c = 5 <= 5; // sets c to true
```



# Comparisons

`boolean` is useful for *arithmetic comparisons*

```
boolean a = 5 > 1; // sets a to true
```

```
boolean b = 5 < 1; // sets b to false
```

```
boolean c = 5 <= 5; // sets c to true
```

```
boolean d = 6 >= 5; // sets d to true
```

# Comparisons

`boolean` is useful for *arithmetic comparisons*

---

```
boolean e = 5 == 5; // sets e to true
```

# Comparisons

`boolean` is useful for *arithmetic comparisons*

---

```
boolean e = 5 == 5; // sets e to true
```

---

```
boolean f = 5 == 6; // sets f to false
```

# Comparisons

`boolean` is useful for *arithmetic comparisons*

```
boolean e = 5 == 5; // sets e to true
```

```
boolean f = 5 == 6; // sets f to false
```

```
boolean g = 5 != 5; // sets g to false
```

# Comparisons

`boolean` is useful for *arithmetic comparisons*

```
boolean e = 5 == 5; // sets e to true
```

```
boolean f = 5 == 6; // sets f to false
```

```
boolean g = 5 != 5; // sets g to false
```

```
boolean h = 5 != 6; // sets h to true
```

# String Concatenation

Works as you might expect

# String Concatenation

Works as you might expect

---

```
true + "foo"
```

# String Concatenation

Works as you might expect

---

```
true + "foo"  
"truefoo"
```



# String Concatenation

Works as you might expect

```
true + "foo"  
"truefoo"
```

```
"bar" + false
```

# String Concatenation

Works as you might expect

```
true + "foo"  
"truefoo"
```

```
"bar" + false  
"barfalse"
```

**Example:**

Comparisons.java

`if / else`

# if / else

Used to *conditionally* execute code  
based on a `boolean` truth value

# if / else

Used to *conditionally* execute code based on a `boolean` truth value

---

```
if (true) {  
    System.out.println("yes");  
} else {  
    System.out.println("no");  
}
```

# if / else

Used to *conditionally* execute code based on a `boolean` truth value

```
if (true) {  
    System.out.println("yes");  
} else {  
    System.out.println("no");  
}
```

Prints *yes*

# if / else

Used to *conditionally* execute code based on a `boolean` truth value

```
if (5 < 2) {  
    System.out.println("yes");  
} else {  
    System.out.println("no");  
}
```



# if / else

Used to *conditionally* execute code based on a `boolean` truth value

```
if (5 < 2) {  
    System.out.println("yes");  
} else {  
    System.out.println("no");  
}
```

**Prints no**

# Example:

`IsGreaterThan5.java`

# Example:

MultipleReturn.java

# Testing Advice with `if / else`

- Ideally, for each `if / else`, have *two* tests
  - One for if the condition is `true`
  - Another for if the condition is `false`

# Testing Advice with `if / else`

- Ideally, for each `if / else`, have *two* tests
  - One for if the condition is `true`
  - Another for if the condition is `false`

---

Question: which tests may be good for testing absolute value?

# Testing Advice with `if / else`

- Ideally, for each `if / else`, have *two* tests
  - One for if the condition is `true`
  - Another for if the condition is `false`

---

Question: which tests may be good for testing absolute value?

A positive value and a negative value

# Example:

MultipleReturnTest.java