

**COMP 410**  
**Fall 2020**  
**Final Practice Exam**

The topics on this practice exam reflect **ONLY** those which have been covered since the last exam. The real final is **CUMULATIVE**, so it will include questions similar to the previous practice exams. However, the final will be biased towards the sort of questions below.

**Prolog Metainterpreters**

1.) Write a metainterpreter which shows the number of conjunctions which were needed to compute a particular solution. Example queries follow. Your metainterpreter needs to handle only the rules necessary to execute these queries below.

```
?- interpret((X is 1 + 1, Y is 2 + 2), ConjunctionCount).  
X = 2, Y = 4, ConjunctionCount = 1.
```

```
% This definition is used in the query below  
% myLength([], 0).  
% myLength([_|T], Len) :-  
%     myLength(T, TLen),  
%     Len is TLen + 1.
```

```
?- interpret(myLength([a, b, c, d], Len), ConjunctionCount).  
Len = 4, ConjunctionCount = 4.
```

## Constraint Logic Programming and Peano Arithmetic

2.) Using CLP constraints, write a query which finds all integers  $X$  and  $Y$  such that:

```
X >= 0
X <= 10
Y >= 0
Y <= 10
X + Y < 10
```

3.) Via the Peano axioms, we can define natural numbers  $n$  as follows:

```
n ::= zero | succ(n)
```

...where  $\text{succ}(n)$  represents the successor to some other natural number  $n$ .

3.a.) Write out 5 as a natural number encoded with the Peano axioms.

3.b.) Assume the presence of a procedure `add/3`, which takes three natural numbers encoded with the Peano axioms. The first two arguments are inputs, and the third argument is the sum of the two inputs. Define a procedure `multiply/3`, which takes three natural numbers encoded with the Peano axioms. `multiply/3` multiplies the first two arguments together, placing the result in the third argument. You may assume the first two inputs will always be provided. As a hint:

- $0 * n = 0$
- $1 * n = n$
- $n * m = m + ((n - 1) * m)$  for  $n, m > 1$