

**COMP 410**  
**Fall 2022**  
**Midterm Practice Exam #2 Solutions**

**Unification with Lists**

Consider each of the following unification attempts involving lists. If the unification succeeds, record any values any variables take. If the unification fails, say so.

1.)  $[1, 2, \_ ] = [A, B, C|D]$

$A = 1, B = 2, D = []$

2.)  $A = [1, 2|B], B = [4]$

$A = [1, 2, 4], B = [4]$

3.)  $[[A|B], C] = [[1, 2]|D]$

$A = 1, B = [2], D = [C]$

4.)  $X = [A|[2]]$

$X = [A, 2]$

5.)  $[A, [B, [C|D]]] = [1, [2, [3, 4]]]$

$A = 1, B = 2, C = 3, D = [4]$

Consider the following inductive list definition, which makes use of Prolog atoms and structures:

$$e \in ListElement$$

$$l \in List ::= cons(e, l) \mid nil$$

Now consider the following unifications, using Prolog lists. Rewrite these unifications using the above definition.

6.)  $X = [1, 2, 3]$

$$X = cons(1, cons(2, cons(3, nil)))$$

7.)  $X = [Y|Z]$

$$X = cons(Y, Z)$$

8.)  $X = [A|[2]]$

$$X = cons(A, cons(2, nil))$$

9.)  $X = [1, [2, [3]]]$

$$X = cons(1, cons(cons(2, cons(cons(3, nil), nil)), nil))$$

## More Recursion

10.) Consider the following mathematical definition of a recursive function:

$$f_n = \begin{cases} 2 & \text{if } n = 0 \\ 3 & \text{if } n = 1 \\ (3 \times f_{n-1}) + (4 \times f_{n-2}) & \text{otherwise} \end{cases}$$

Write an equivalent definition in Prolog.

```
f(0, 2).
f(1, 3).
f(N, Result) :-
    N > 1,
    MinOne is N - 1,
    MinTwo is N - 2,
    f(MinOne, T1),
    f(MinTwo, T2),
    Result is (3 * T1) + (4 * T2).
```

11.) Write a procedure named `evensBetween`, which will nondeterministically produce all the even numbers within an inclusive range. As a hint, a number `N` is even if and only if the clause `0 is mod(N, 2)` is true. An example query is below:

```
?- evensBetween(1, 4, Even).
Even = 2 ;
Even = 4.

evensBetween(Min, Max, Min) :-
    Min =< Max,
    0 is mod(Min, 2).
evensBetween(Min, Max, Result) :-
    Min < Max,
    NewMin is Min + 1,
    evensBetween(NewMin, Max, Result).
```

12.) Consider the following code:

```
proc([], 0).  
proc([_|A], B) :-  
    proc(A, C),  
    B is C + 1.
```

12.a) In your own words, what does this procedure compute?

The length of a given list.

12.b) This procedure is not very efficient when it comes to memory. Why is it inefficient?

It uses  $O(N)$  stack space since it is not tail-recursive.

12.c) Rewrite this procedure to be more efficient with memory. You may introduce a helper procedure if desired.

```
proc(List, Len) :-  
    proc(List, 0, Len).  
  
proc([], Accum, Accum).  
proc([_|T], Accum, Len) :-  
    NewAccum is Accum + 1,  
    proc(T, NewAccum, Len).
```

13.) Define a procedure named `isPrime` which will determine if a given input number is prime. You may introduce any helpers you wish. Example queries follow:

```
?- isPrime(1).  
true .  
?- isPrime(2).  
true .  
?- isPrime(3).  
true .  
?- isPrime(4).  
false.
```

As a hint, the following Java-like code:

```
int x = y % z;
```

...is equivalent to the following Prolog code:

```
X is mod(Y, Z)
```

```
isPrime(Num) :-  
    StartNum is Num - 1,  
    isPrime(Num, StartNum).  
  
isPrime(1, 0).  
isPrime(_, 1).  
isPrime(Num, CurNum) :-  
    NonZero is mod(Num, CurNum),  
    NonZero \== 0,  
    NewNum is CurNum - 1,  
    isPrime(Num, NewNum).
```

## Test Case Generation

14.) Consider the following grammar-based definition of simplistic SQL queries:

$$c \in \textit{ColumnName} \quad t \in \textit{TableName}$$
$$q \in \textit{SQLQuery} ::= \textit{select } c \textit{ from } t;$$

14.a) Assume the only possible columns are named `c1` and `c2`, and the only possible tables are named `t1` and `t2`. Write a generator of valid SQL query ASTs. An example of a valid AST is `select(c1, t1)`. Do not simply hardcode all possible ASTs.

```
columnName(c1).
columnName(c2).

tableName(t1).
tableName(t2).

sql(select(C, T)) :-
    columnName(C),
    tableName(T).
```

14.b) Bounds or related mechanisms are not necessary for this problem, at least as described. Why?

From the description, there are a reasonably finite number of possible ASTs. (Another possible answer) from the implementation, there is no recursion, which would potentially allow us to “spam” the same rule indefinitely.

14.c) Name a change to this problem which would necessitate adding a bound or a related mechanism, and explain why such a change would add this necessity.

Add a column or table name generator. Another answer is to add support for `while` clauses, which can be chained arbitrarily long with Boolean operators like `AND`. In both cases, these features make the space infinite, requiring us to inject failure somewhere to prevent us from producing repetitive-looking ASTs.