COMP 410 Fall 2023

Final Exam Review

For the final, all handouts, labs, practice exams, and prior exams are fair game. You may bring three 8.5 x 11 inch sheets of paper into the exam, and have handwritten notes on both sides of both sheets. This review focuses on performing logic programming in Python.

1.) Consider the following Prolog procedure:

isName(alice).
isName(bob).
isName(janet).
isName(bill).

Write an equivalent generator function in Python, named isName. Each name should be represented as a string. As a hint, isName should not take any parameters.

2.) Consider the following Prolog procedure:

```
naturalNumber(0).
naturalNumber(N) :-
naturalNumber(NMinusOne),
N is NMinusOne + 1.
```

Write an equivalent generator function in Python, named naturalNumber. As a hint, naturalNumber should not take any parameters.

3.) Consider the following Prolog procedure:

```
selectElement([Head|_], Head).
selectElement([_|Tail], Element) :-
    selectElement(Tail, Element).
```

Write an equivalent generator function in Python, named selectElement. You can assume you have the following definitions available for representing lists:

```
class Nil:
    def __init__(self):
        pass
class Cons:
    def __init__(self, head, tail):
        self.head = head
        self.tail = tail
```

Example usage of selectElement is below:

```
for n in selectElement(Cons(1, Cons(2, Cons(3, Nil())))):
    print(n)
# Output:
# 1
# 2
# 3
```

4.) Consider the following Prolog procedure, which nondeterministically selects different values contained in a binary tree:

```
% tree ::= internal | node(tree, INT, tree)
treeElement(node(_, Value, _), Value).
treeElement(node(Left, _, _), Value) :-
    treeElement(Left, Value).
treeElement(node(_, _, Right), Value) :-
    treeElement(Right, Value).
```

The tree is represented in Python using the following two classes:

```
class Internal:
    def __init__(self):
        pass
class Node:
    def __init__(self, left, value, right):
        self.left = left
        self.value = value
        self.right = right
```

Write an equivalent generator function implementing treeElement in Python below.